Growth and nutrition of Schoenoplectus validus in agricultural wastewaters	
C.C. Tanner (Hamilton, New Zealand)	
Apoplastic and symplastic pathways in leaves and roots of the seagrass Halodule unin	er-
vis (Forssk.) Aschers.	100
A.D. Barnabas (Durban, South Africa)	155
Carbon, nitrogen contents and stable carbon isotope abundance in mangrove leaves	
from an east African coastal lagoon (Kenya)	
R.G. Rao, A.F. Woitchik, L. Goeyens, A. Van Riet (Brussels, Belgium), J. Kazuni (Mombasa, Kenya) and F. Dehairs (Brussels, Belgium)	
(Montoasa, Kenya) and F. Denaits (Blusseis, Beigium)	1/3
Short communications	
Algal periphyton of an unshaded stream in relation to in situ nutrient enrichment and	1
current velocity	
M. Ghosh (Shillong, India) and J.P. Gaur (Varanasi, India)	185
Photosynthetic responses of Rhizophora apiculata Blume seedlings to a long-chain ali phatic alcohol	
K. Kathiresan and P. Moorthy (Tamil Nadu, India)	191
Announcement from the Publisher	195
VOL. 47 NOS. 3-4 MARC	CH 1994
Convective gas flow in Eleocharis sphacelata R. Br.: methane transport and release fr	om
wetlands	OIII
B.K. Sorrell and P.I. Boon (Albury, N.S.W., Australia)	197
Quantitative importance of particulate matter retention by the roots of Eichhornia cr	as-
sipes in the Paraná floodplain	
A. Poi de Neiff, J.J. Neiff, O. Orfeo (Corrientes, Argentina) and R. Carignan (Ste	e-
Foy, Que., Canada)	
Cultural impacts on macrophytes in the Yahara lakes since the late 1800s	
S.A. Nichols and R.C. Lathrop (Madison, WI, USA)	225
Growth plasticity in Cymodocea nodosa stands: the importance of nutrient supply	
M. Perez (Barcelona, Spain), C.M. Duarte (Girona, Spain), J. Romero (Barcelo	na,
Spain), K. Sand-Jensen (Hillerød, Denmark) and T. Alcoverro (Barcelona, Spain	n) 249
Changes to the structure and productivity of a Posidonia sinuosa meadow during and	1
after imposed shading	
D.M. Gordon, K.A. Grey, S.C. Chase and C.J. Simpson (Perth, W.A., Australia)	265
An efficient method for estimating seagrass biomass	
B.G. Long, T.D. Skewes and I.R. Poiner (Cleveland, Qld., Australia)	
An improvement of the Zieman leaf marking technique for Zostera marina growth a	nd
production assessment	
S.E. Ibarra-Obando (Ensenada, Mexico) and C.F. Boudouresque (Marseille,	
France)	293
Eelgrass meadows in a low arctic environment, the northeast coast of James Bay,	
Québec	
R. Lalumière (Québec, Que., Canada), D. Messier, JJ. Fournier (Montréal, Qu	e.,
Canada) and C.P. McRoy (Fairbanks, AK, USA)	303
The distribution and utilisation of Zostera species in Strangford Lough, Northern	
Ireland A.A. Portig, R.G. Mathers, W.I. Montgomery and R.N. Govier (Belfast, UK)	317
A.A. Forug, R.G. Mathers, W.I. Montgomery and R.N. Govier (Bellast, OK)	

Population structure and dispersion pattern in mangroves of Karachi, Pakistan S.M. Saifullah, S.S. Shaukat and S. Shams (Karachi, Pakistan)	329
The effect of salinity and inundation on the estuarine macrophyte Sarcocornia perennis (Mill.) A.J. Scott	
J.B. Adams and G.C. Bate (Port Elizabeth, South Africa)	341
Short communication	
Iron deficiency in Nymphoides peltata owing to the exhaustion of dissolved iron in an- aerobic sediments	
A. Smolders, J.G.M. Roelofs and G. van der Velde (Nijmegen, The Netherlands)	349
Book reviews	
Limnology	. 355
British saltmarshes	
Announcement from the Publisher	. 359
Author Indov	261

